NH Public Utilities Commission

REC Aggregator Portal

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE	WHDIT GORAGE
Basic Information	WHPUC 28MOR'IGPKI:O
Who is submitting this request?	
Aggregator	
Aggregator Batch Number	
KE032416	
Are you registered in NH	
Yes No	
Aggregator name	
Knollwood Energy - 14625	
NH Reg #	
Aggregator Email	
karenton@knollwoodenergy.com	
Other Aggregator name	
Other aggregator email address	
Facility Name	
Facility Owner Name	
Jeremy Delisle	

Facility Owner email
elmwoodfarms1@gmail.com
Owner Phone
828-385-0525
Facility Address
163 Elm Avenue
Facility Town/City
Antrim
Facility State
NH
Facility Zip
03440
O No Mailing Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
karenton@knollwoodenergy.com

Other Email Address	
Facility Information	
Class	
H	
Utility	
Eversource	
Other Utility Name	
To obtain a GIS ID contact:	
James Webb	
408 517 2174	
jwebb@apx.com	
GIS ID (include "NON")	
NON74069	
Date of Initial Operation	
01/19/2016	
Facility Operator Name, if applicable	
Panel Quantity	
28	
Panel Make	
SunEdison	
Panel Model	
F270	
Panel Rated Output	
270	
System capacity based on panels	
7560	

Inverter Quantity
28
Inverter Make
Enphase Energy
Add'l Inverter Quantity
NA
Additional Inverter Make
None
Rated Output - Primary Inverter
215
Rated Output - Additional Inverter
Cyptom conseits based on simple invertex make
System capacity based on single inverter make 6020
0020
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
6.3
Revenue Grade Meter Make
AEE Solar
Was this facility installed directly by the customer (no electrician involved)?
O Yes
No No
Electrician Name & Number
Ken Kleczek 13781M
Other Electrician Name & Number
Installation Company
SunRay Solar

Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State
Other Inst. Company Zip
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
Yes
O No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6398167_lqxPr0bN_N4643_Delisle_PVCertificate_of_
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

A revenue quality meter is used to measure the electricity generated.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-6398167_hc4XvfPf_Delisle_NHOS.pdf

Please attach additional document here

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Kan Jo

Print Name

Karen Tonnesen

Date Signed

03/23/2016

Eversource

Interconnection Standards For Inverters Sized Up To 100 kVA

Exhibit B - Certificate of Completion for Simplified Process Interconnection

	G	E		V	E	
	JAN	1	9	201	6	
Ву						


Installation Information: Check if owner-installed
Customer or Company Name (print): Jerenny + Amy Delisle
Contact Person, if Company:
Mailing Address: 163 Elm Street
City: Antrim State: NH Zip Code:
Telephone (Daytime): (828) 385-0525 (Evening):
Facsimile Number: E-Mail Address:
Facility Information: METER# S 72375875
Address of Facility (if different from above):
City: Zip Code:
Electrical Contractor Contact Information:
Electrical Contractor's Name (if appropriate): Sun Ray Solar
Mailing Address: 124A Hall Street
City: Concord State; NH Zip Code; 03301
Telephone (Duntima), 603-225-6001
Facsimile Number: E-Mail Address: Intall@specad the sunshine, com
License number: 0358C
Date of approval to install Facility granted by the Company:
Eversource Application (D number: #N 4643
Inspection:
The system has been installed and inspected in compliance with the local Building/Electrical Code of
City: AMORA County: Hills Det sugl
Signed (Local Electrical Wiring Inspector, or attach signed electrical inspection):
Signature: 1 Canales
Name (printed): Date: 1/19/2016
Customer Certification:
I hereby certify that, to the best of my knowledge, all information contained in this Exhibit B – Certification of Completion is true and correct. This system has been installed and shall be operated in compliance with applicable standards. Also, the initial stant-up test required by Puc. 905.04 has been successfully completed.
Customer Signature: \ UMug Delis U
As a condition of interconnection you are required to send/fax a copy of this form to:

ME

Eversource
Distributed Generation
780 North Commercial Street
P. O. Box 330, Manchester, NH 03105-0330
Fax No.: (603) 634-2924

EVERSOURCE

INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA



		Eversource Appl	ication Project ID#:	N4643
Contact Information: Legal Name and Address of Interconnectin Customer or Company Name (print):An	_			
Contact Person, if Company:		E DE PROPERTO DE LA COMPANSION DE LA COM		
Mailing Address: 163 Elm Avenue City: Antrim	11 Kaliki	NH	7:- O-d-	03440
Telephone (Daytime): 828-385-0525				
Facsimile Number:	The second	E-Mail Address:	elmwoodfarms1@	gmail.com
Alternative Contact Information (e.g., S. Name: SunRay Solar, LLC	ystem inst	allation contractor or coord	linating company, if ap	opropriate):
Mailing Address. 124A Hall Street		North Committee of the	San Organia (Charles San Annual Charles San Annual	
City, Concord	State:	New Hampshire	Zip Code:	03301
Telephone (Daytime): 603-225-6001 Facsimile Number:	Avery seem	(Eveni	ng):	
Fassimile Number		F-Mail Address	Amenda@spreadthe	sunshine.com
Mailing Address: 124A Hell Street City: Concord	State:	New Hampshire	Zip Code:	03301
Telephone (Daytime): 603-225-6001	Fa21541100	(Eveni	ng):	
Facsimile Number:		E-Mail Address:	ken@spreadthesu	<u>ınshi</u> ne.c <u>om</u>
Facility Site Information:				
Facility (Site) Address: 163 Elm Avenue				
City: Antrim	State:	ИН	Zip Code:	<u>U344U</u>
Electric				
Service Company: Eversource				
Account and Meter Number: Please consult Number on this application. If the facility is	an actual to be ins	Eversource electric bill an talled in a new location, ple	d enter the correct Acc case provide the Evers	count Number and Meter ource Work Request number
Eversource Work Request #	# () da , p			
ion-Default' Service Customers Only: Competitive Electric				
Energy Supply Company:			Account Number:	
Customer's with a Competitive Energy Sup Supply Company.)				

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Info	rmation;		
Generator/		Model Name &	
Inverter Manufacturer:	Enphase	Number: m215	Quantity: 28
Nameplate Rating:			Phase: Single Three
Nameplate Rating: The	AC Nameplate rati	ing of the individual inverter.	
System Design Capacity	y: 6.3	(kW) (kVA) Battery Backu	ip: Yes No
System Design Capacity	y: The system total	of the inverter AC ratings. If there are multip	ole inverters installed in the system, this is the
sum of the AC nameplas	te ratings of all invo	erters.	
Net Metering: If Renew	ably Fueled, will th	ne account be Net Metered? Yes 🔳 N	。
Prime Mover: Photovol	Itaic 🔳 Recipro	ocating Engine 🔲 Fuel Cell 🔲 Turl	bine Other
Energy Source: Solar	Wind Hy	dro Diesel Natural Gas Fue	ol Oil Other
Inverter-based Genera	ting Facilities:		
UL 1741 / IEEE 1547.1 Yes No	Compliant (Refer T	o Part Puc 906 Compliance Path For Inverter	Units, Part Puc 906.01 Inverter Requirements)
The standard UL 1741.1	dated May, 2007 c	or later, "Inverters, Converters, and Controlle	ers for Use With Independent Power
Systems," addresses the	electrical interconn	ection design of various forms of generating	g equipment. Many manufacturers choose to
		ognized Testing Laboratory (NRTL) that ver quipment and supporting documentati	
		quipment and supporting documental lescribing the inverter's UL 1741/IEEE 15	
External Manual Disco	nnect Switch:		
An External Manual Dis	connect Switch sha	ill be installed in accordance with 'Part Puc 90	05 Technical Requirements For
nterconnections For Faci	lities, Puc 905.01 Re	equirements For Disconnect Switches and 905.	02 Disconnect Switch.'
res No 🗌			
ocation of External Man	nual Disconnect Sv	vitch: outside next to meter	
roject Estimated Install	Date: December	r 2015 Project Estimated In-	Service Date: December 2015
nterconnecting Custon	ter Signature:		
			application is true and I agree to the Terms
nd Conditions for Sim	plified Process Int	erconnections attached hereto:	
	la Del		1-1-
ustomer Signature:	my in w	Title: Homeaune	R Date: 11/15/15
lease include a one-line	and/or three-line	dlagram of proposed installation. Diagran	n must indicate the generator connection
oint in relation to the cu	istomer service pai	nel and the Eversource meter socket. Appl	ications without such a diagram may be
turned.			T. 100 Part
		For Eversource Use Only	
pproval to Install Faci	ility:		
••		gent upon the Terms and Conditions For Si	molified Process Interconnections of this
greement, and agreemen			
re system modifications		No. To be Determined	
	_		Tral.
ompany Signature:	MANA	Tun Title: #555	Golfe Date: \4/19
	The state of the s		
ersource SPIA rev. 03/14		Ma.	Page 2 of 4

EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes 🔳 No 🗌 Date	e of inspection/Witness Test:
---	-------------------------------

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
 Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc
 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement,
 easements, rights of way, set back, or other physical contrutruction issues.
- Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Instalts Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Jeremy DeLisle
Printed Name of signature owner

Jeremy Dellisle (Mar 22, 2016)
Signature of system owner